



SCHONBEK IS A WORLD LEADER IN CHANDELIER  
DESIGN. PATENTS INCLUDE:

#D292,620, #D335,362, #D335,546, #D335,716,  
#D335,720, #D336,537, #D338,082, #D338,278,  
#D339,879, #D345,815, #D373,441, #D374,102,  
#D374,103, #D374,498, #D382,077, #D454,973,  
#D454,974, #D455,224, #5,104,082, #5,109,325,  
#5,116,009, #5,144,541, #5,205,644, #5,222,805,  
#5,241,460, #5,255,173, #5,258,900, #5,285,364,  
#5,404,285, #5,460,269, #5,567,046, #5,567,468,  
#5,573,330 & #5,577,838


CHANDELIER 2758-\_\_\_\_ (LT)  
(Finish Option)

& 2757-\_\_\_\_ (RT)  
(Finish Option)

PLEASE READ AND SAVE!

**T**HIS DESIGN IS THE PROPRIETARY  
TRADE DRESS/TRADEMARK OF  
SCHONBEK WORLDWIDE LIGHTING INC.

Please keep  
Trim Diagram for  
future reference  
for cleaning  
fixture!



2758 (LT)

2757 (RT)

2 Lights  
Diameter: 14"  
Body Length: 22-1/2"  
Extension: 4-1/2"  
Hanging Weight: 4 lbs.

SCHONBEK



**FOLLOW STEPS  
#1 TO #18 IN ORDER**

**1**



**IMPORTANT**

*Please record the following  
information for future service.*

CODE # \_\_\_\_\_ Four-digit number on outside of carton.  
PACKER # \_\_\_\_\_ See crystal package label.  
ORDER # \_\_\_\_\_ See crystal package label.



All electrical components must be installed by a licensed electrician in accordance with the National Electric Code and the appropriate local electrical codes.



## MAINTENANCE:

Use a soft, lint - free cloth to clean the metal frame.

**UNDER NO CIRCUMSTANCES SHOULD METAL POLISHES, CLEANERS, ABRASIVES OR AEROSOL SPRAYS BE USED.**

While the latest finishing techniques have been used on the metal frame, such finish cannot be unconditionally guaranteed. The main cause of deterioration, apart from certain atmospheric conditions, is improper cleaning.


To clean the crystals, polish with a damp chamois.

You are cleaning delicate jewelry... Take the greatest care.


## IMPORTANT:

Do not clean crystals in a dishwasher. The finish of the metal clips and hangers will be ruined and the crystals may be damaged.


# CRYSTAL ID SHEET




**N5001**  
3-1/2"  
89mm



**N5003**  
4"  
102mm




**N5040**  
4"  
102mm



**N5013**  
4"  
102mm

For easy removal of crystal from bubble pack, please cut along pouches on the inside of the seam. Gently remove crystal from the side of the pouch.




**NOTE:** Work on one crystal set at a time. Follow the black line from top to bottom according to the numbered steps on the trim diagram.




**10** 2 - C10  
60 Watts Max  
25 Watts Recommend

**TRIMMING  
DIRECTIONS  
FOR:  
2758 (LT)**




**TRIMMING  
DIRECTIONS  
FOR:  
2757 (RT)**




**SPARE PARTS KIT  
PROVIDED.**

**FIXTURE INCLUDES:**  
Hanger Hardware  
Trim  
Frame  
**DOES NOT INCLUDE:**  
C10 - Light Bulbs


Use Finger Cots:



**Cleaning Instructions:**



FRAME



CRYSTALS



**DO NOT USE  
DETERGENTS OR SPRAYS**

