



dweLED

By WAC

dweLED

LED Pendants + Chandeliers.....	4-33
LED Sconces + Bath.....	34-49
LED Sconces	50-69
LED Bedside Wall + Swing Arms.....	70-85
LED Ceiling Mounts.....	86-95
LED Outdoor.....	96-109









LED Pendants + Chandeliers

Generations of design trends are more forgiving of clean proportions than ornate decorations, but good lighting design is always a welcome constant.

This is the guiding principle behind our dweLED offering of LED Pendants and Chandeliers. Stunning additions to commercial offices or kitchen islands, dweLED pendants have been specified into hundreds of designs.





PD-51050-BK shown

ATLAS

30", 41" & 50" LED Pendant

PD-51030-BK shown

Reminiscent of the brilliant modern artwork of Eva Rothschild, this unique pendant features three illuminating cubes that move independently. The black finish provides striking contrast with the luminous lines of light. A recognizable bold design.



- Cubes rotate independently for creative display options
- Three 12" and one 6" downrods included
- PD-51050-BK for special order only
- JA8 Title 24 2019 compliant

Color Temp: 3500K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V, 100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

PD-51030: Size: 30" Watt: 30W

LED Lumens: 4,500 Delivered Lumens: 1,600

PD-51041: Size: 41" Watt: 42W

LED Lumens: 5,600 Delivered Lumens: 2,246

PD-51050: Size: 50" Watt: 60W


LED Lumens: 6,500 Delivered Lumens: 3,000

Finish

BK:

Black

Example: **PD-51030-BK**






PD-19043-BK shown

HIGHWIRE

43" & 50" LED Pendant



PD-19050-BK shown

A perfect balancing act. Feather-light yet substantial.



- Six 12" and two 6" downrods included for PD-19050; Three 12" and one 6" downrods included for PD-19043 (additional downrods available)
- PD-19043 can be mounted on a sloped ceiling
- Driver conceals within the canopy

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

PD-19043 : Size: 43" Watt: 23W

LED Lumens: 1,150 Delivered Lumens: 758

PD-19050 : Size: 50" Watt: 20W



LED Lumens: 1,000 Delivered Lumens: 801


Finish

BK:

Black

Example: **PD-19050-BK**





PD-18041-BK *shown*


ETERNAL

41" LED Pendant



PD-18041-CH shown

Delicately twisting. As timeless as a wedding band.



TITLE 24
CALIFORNIA

- Light is evenly distributed 360 degrees
- Continuous, mobius strip design
- Low profile, adjustable powered aircraft cables for an ultra-clean look
- Can be mounted on a sloped ceiling
- JA8 Title 24 2019 compliant
- Driver conceals within the canopy

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

PD-18041: Size: 41" Watt: 53W

LED Lumens: 3900 Delivered Lumens: 1636

Finish



BK:
Black



CH:
Chrome

Example: **PD-18041-CH**



PD-17023-BK *shown*

MINECRAFT

23" LED Pendant

Opportunity lights around every turn. Bauhaus inspired modern pendant.



TITLE 24
CALIFORNIA

- Light is evenly distributed 360 degrees
- Asymmetrical, seamless and continuous design
- Low profile, adjustable powered aircraft cables for an ultra-clean look
- Can be mounted on a sloped ceiling
- JA8 Title 24 2019 compliant
- Driver conceals within the canopy

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V

Rated Life: 50,000 hours

Input: 120V-277V

PD-17023: Size: 23" Watt: 45W


LED Lumens: 5,600 Delivered Lumens: 2,274

Finish

BK:

Black

Example: **PD-17023-BK**



PD-17023



PD-14032-BK shown

LUNE

32" LED Pendant

*Futuristic Industrial.
Segmented powerful design.
Adjusts to your demands.*



TITLE 24
CALIFORNIA

- Slim, low profile design provides diffuse illumination
- Each light bar is 300 degree adjustable to enable upward and downward illumination
- Can be mounted on a sloped ceiling
- JA8 Title 24 2019 compliant
- Driver conceals within the canopy

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V

PD-14032: Size: 32" Watt: 28W

LED Lumens: 3,000 Delivered Lumens: 1,832

Finish



BK:

Black

AL:

Brushed Aluminum

Example: **PD-14032-BK**



PD-14032

Rotatable:





PD-16063-AL shown

LUNE

63" LED Pendant



TITLE 24
CALIFORNIA

Futuristic Industrial. Segmented powerful design. Adjusts to your demands.

- Slim, low profile design provides diffuse illumination
- Each light bar is 300 degree adjustable to enable upward and downward illumination
- Can be mounted on a sloped ceiling
- JA8 Title 24 2019 compliant
- Driver conceals within the canopy

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V

PD-16063: Size: 63" Watt: 23W


LED Lumens: 2,300 **Delivered Lumens:** 1,355

Finish

BK:
Black

AL:
Brushed Aluminum

Example: **PD-16063-BK**



Rotatable:



Family:



P. 68 LED Sconce



PD-15052-BK *shown*

LUNE

52" LED Pendant



PD-15052-AL shown

Futuristic Industrial. Segmented powerful design. Adjusts to your demands.



- Slim, low profile design provides diffuse illumination
- Each light bar is 300 degree adjustable to enable upward and downward illumination
- Can be mounted on a sloped ceiling
- JA8 Title 24 2019 compliant
- Driver conceals within the canopy

Color Temp: 3000K
 CRI: 90
 Dimming: 100% - 10% ELV
 100%-5% TRIAC
 Rated Life: 50,000 hours
 Input: 120V


PD-15052 : Size: 52" Watt: 46W
LED Lumens: 4,600 Delivered Lumens: 3,559

Finish

BK:
 Black

Example: **PD-15052-BK**

AL:
 Brushed Aluminum





PD-22775-BK *shown*


VOLO

44", 54" & 75" LED Pendant


PD-22744-AL shown

PD-22754-BK shown


Wishful lighting. Ultra thin pendant for the discerning minimalist.



PD-22744



PD-22754



PD-22775



- Ultra thin pendant for the discerning minimalist
- Solid aluminum construction
- Frosted diffuser provides even illumination
- Cable suspension carrying low voltage may be field shortened
- JA8 Title 24 2019 compliant
- Driver located inside the canopy
- Brushed and anodized metal finishes
- 0-10V dimming not available for PD-22775

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V,
100%-5% TRIAC

Rated Life: 54,000 hours

Input: 120V-277V

PD-22744 : Size: 44" Watt: 24W

LED Lumens: 1,299 Delivered Lumens: 1,034

PD-22754 : Size: 54" Watt: 30W

LED Lumens: 2,150 Delivered Lumens: 1,740

PD-22775 : Size: 75" Watt: 44W

LED Lumens: 2,671 Delivered Lumens: 1,888

Finish

BK:
Black

AL:
Brushed Aluminum

Example: **PD-22744-BK**



PD-20004-AB shown



PD-20014-AB shown



BISTRO

4 Lights, 10" & 14" LED Pendant



PD-20010-AB shown

Classic forms elevated.



- Low profile, powered aircraft cables for an ultra-clean look
- Easy to clean
- Can be mounted on a sloped ceiling
- JA8 Title 24 2019 compliant
- Three 12" and one 6" downrods included for PD-20004 only
- Driver conceals within the canopy

Color Temp: 3000K
 CRI: 90
 Dimming: 100% - 10% ELV, 100% - 5% 0-10V, 100%-5% TRIAC
 Rated Life: 50,000 hours
 Input: 120V-277V

PD-20010 : Size: 10" Watt: 9W
 LED Lumens: 680 Delivered Lumens: 259

PD-20014 : Size: 14" Watt: 9W
 LED Lumens: 680 Delivered Lumens: 281

PD-20004 : Lights: 4 Watt: 23W
 LED Lumens: 1,819 Delivered Lumens: 834

Finish

AB:
 Aged Brass
 Example: **PD-20004-AB**



PD-96948-AB *shown*

MADISON

48" LED Pendant

A tailored look for transitional designs.



- Driver concealed within the canopy
- JA8 Title 24 2019 compliant
- Fabric shade in combination with acrylic for multi-faceted design
- Six 12" and two 6" downrods included

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V

PD-96948 : Size: 48" Watt: 48W

LED Lumens: 6,000 Delivered Lumens: 3,339


Finish



AB:

Aged Brass

Example: **PD-96948-AB**



PD-96948



PD-72006-BK shown



KONE

6" Mini LED Pendant

PD-72006-AB shown

PD-72006-SN shown

Minimal and inventive. A simple, conical design.



- Thin powered cables provide an ultra-clean look
- Driver concealed within the canopy
- Can be mounted on a sloped ceiling
- 0-10V dimming available with Title 24 option (special order).

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

PD-72006 : Size: 6" Watt: 11W

LED Lumens: 1,000 Delivered Lumens: 243

Finish

SN:
Satin Nickel

AB:
Aged Brass

BK:
Black

Example: **PD-72006-SN**

For title 24 option add "T24" before the

Finish: **PD-72006-T24-SN**



PD-13006-BK *shown*

OHM

6" Mini LED Pendant

Modern elegance paired with advanced luminosity.



- Can be mounted on a sloped ceiling
- Low profile, adjustable powered aircraft cables for an ultra-clean look
- JA8 Title 24 2019 compliant
- Driver conceals within the canopy
- Thin powered cable with matching color.

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V

PD-13006 : Size: 6" Watt: 13W


LED Lumens: 1,200 Delivered Lumens: 553

Finish

BK:

Black

Example: **PD-13006-BK**



PD-13006








PD-12015-BN shown




PD-12015-BN shown

Through the looking glass. LED light within a smoked glass pendant.



PD-12006



PD-12015



- Smoked glass on the outside, frosted opal glass on the inside
- Low profile, adjustable powered aircraft cable for an ultra-clean look
- Can be mounted on a sloped ceiling
- JA8 Title 24 2019 compliant
- Driver conceals within the canopy

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

PD-12006 : Size: 6" Watt: 7W

LED Lumens: 500 Delivered Lumens: 227

PD-12015 : Size: 15" Watt: 14W

LED Lumens: 1,200 Delivered Lumens: 635

Finish



BN:

Brushed Nickel

Example: **PD-12006-BN**



PD-42918-BK *shown*

NAPA

9", 12" & 18" LED Pendant

Timeless sophistication meets modern technology.



- Aluminum hardware with extruded acrylic diffuser
- Three 12" and one 6" downrods included (additional downrods available)
- ACLED driverless technology
- JA8 Title 24 2019 compliant
- Can be mounted on a slope ceiling

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV

Rated Life: 50,000 hours

Input: 120V

PD-42909 : Size: 9" Watt: 15

LED Lumens: 1,200 Delivered Lumens: 620

PD-42912 : Size: 12" Watt: 16W

LED Lumens: 1,400 Delivered Lumens: 790

PD-42918 : Size: 18" Watt: 25W


LED Lumens: 2,400 Delivered Lumens: 1,365

Finish


BK:

Black


Example: **PD-42909-BK**



PD-42909



PD-42912



PD-42918





LED Sconce + Bath

Focused on timeless silhouettes, scaled-up metalwork and enduring finishes, these luminaires feature a tightly engineered fit and finish to coordinate seamlessly with upscale hardware and fixtures. Baths are ideal places to demonstrate illumination performance from proprietary LED technology where color quality and brightness requirements are the greatest.





WS-34027-AL shown

REPOSE

27" & 37" LED Sconce + Bath



WS-34027-AL shown



WS-34037-AL shown

Elaborate and embossed. Powerful illumination with enchanting sparkle and charm.



- Moulded diffuser deeply textured on the inside
- JA8 Title 24 2019 compliant
- Can be mounted vertically or horizontally
- Driver conceals within the fixture

Color Temp: 3500K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V,
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

WS-34027 : Size: 27" Watt: 22W

LED Lumens: 1,493 Delivered Lumens: 1,356

WS-34037 : Size: 37" Watt: 30W


LED Lumens: 2,122 Delivered Lumens: 1,785

Finish


AL:

Brushed Aluminum

Example: **WS-34037-AL**



WS-34027



WS-34037



WS-38024-BN *shown*

DARCY

24" & 36" LED Sconce + Bath



WS-38024-BN shown



WS-38036-AB shown

Flattering illumination. Experience unparallel task lighting above a vanity or alongside a mirror.



- Silk screen mitered tempered glass diffuser
- Can be mounted vertically or horizontally
- JA8 Title 24 2019 compliant
- Driver conceals within the fixture

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV

Rated Life: 50,000 hours

Input: 120V-277V

WS-38024 : Size: 24" Watt: 34W

LED Lumens: 3,800 Delivered Lumens: 1,733

WS-38036 : Size: 36" Watt: 45W

LED Lumens: 5,000 Delivered Lumens: 2,383

Finish




AB:
Aged Brass




BN:
Brushed Nickel

Example: **WS-38024-BN**



WS-38024



WS-38036




WS-32027-TT shown

Framed Light. Mirrored to reflect luxury finishes in a well appointed space.

MIRROR MIRROR

18", 27" & 37" LED Sconce + Bath



WS-32037-TT shown



WS-32018-TT shown



- Matte finish with mirror insert
- Can be mounted vertically or horizontally
- Driver conceals within the canopy

Color Temp: 3000K
 CRI: 90
 Dimming: 100% - 10% ELV, 100% - 5% 0-10V,
 100%-5% TRIAC
 Rated Life: 50,000 hours
 Input: 120V-277V

WS-32018 : Size: 18" Watt: 17W
 LED Lumens: 1,700 Delivered Lumens: 757

WS-32027 : Size: 27" Watt: 22W
 LED Lumens: 2,500 Delivered Lumens: 1,120


WS-32037 : Size: 37" Watt: 31W
 LED Lumens: 3,500 Delivered Lumens: 1,575

Finish


TT:

Titanium


Example: **WS-32018-TT**



WS-32018



WS-32027



WS-32037



WS-36032-AB *shown*

MELROSE

22" & 32" LED Sconce + Bath




WS-36022-AB shown




WS-36032-BN shown

Modern and clean. Clear and opal glass layers encapsulate perfectly even LED illumination.



WS-36022



WS-36032



- JA8 Title 24 2019 compliant
- Can be mounted vertically or horizontally
- Driver conceals within the fixture

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V,
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

WS-36022 : Size: 22" Watt: 24W

LED Lumens: 1,720 Delivered Lumens: 1,204

WS-36032 : Size: 32" Watt: 30W

LED Lumens: 2,105 Delivered Lumens: 1,505

Finish



AB:
Aged Brass




BN:
Brushed Nickel

Example: **WS-36022-BN**




JULIET

20" & 27" LED Sconce + Bath



WS-35020-BN shown



WS-35027-AB shown

Elegant diffuse illumination. Pairs well with round, oval, or rectangular mirrors.



- JA8 Title 24 2019 compliant
- ACLED driverless technology
- Can be mounted vertically or horizontally

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV

Rated Life: 50,000 hours

Input: 120V

WS-35020 : Size: 20" Watt: 27W

LED Lumens: 2,059 Delivered Lumens: 1,439

WS-35027 : Size: 27" Watt: 34W

LED Lumens: 2,778 Delivered Lumens: 1,983


Finish

AB:
Aged Brass


CH:
Chrome

BN:
Brushed Nickel


Example: **WS-35027-BN**



WS-35020



WS-35027



MERCER

24" & 34" LED Sconce + Bath



WS-37024-BN shown




WS-37034-AB shown

Classic design elegantly finished. Opal glass shade provides diffused illumination.



WS-37024



WS-37034



- Can be mounted vertically or horizontally
- JA8 Title 24 2019 compliant
- ACLED driverless technology

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV

Rated Life: 54,000 hours

Input: 120V

WS-37024 : Size: 24" Watt: 32W

LED Lumens: 2,636 **Delivered Lumens:** 1,359

WS-37034 : Size: 34" Watt: 48W

LED Lumens: 4,008 **Delivered Lumens:** 2,481

Finish

AB:
Aged Brass

BN:
Brushed Nickel

Example: **WS-37024-BN**

VISTA

20", 26" & 38" LED Sconce + Bath



WS-40720-CH shown

A brilliant outlook. Versatile 1 inch luminaire with narrow spears of light.



- Adjustable backplate (see line drawing for range)*
- Co-extruded clear and white acrylic provides substance, luminosity and optical efficacy
- JA8 Title 24 2019 compliant
- Conversion plate for 4" J box included.
- Mount vertically or horizontally
- Driver located in standard 2" x 4" junction box

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV

Rated Life: 54,000 hours

Input: 120V-277V

WS-40720 : Size: 20" Watt: 15W

LED Lumens: 1,387 Delivered Lumens: 1,216

WS-40726 : Size: 26" Watt: 20W

LED Lumens: 1,713 Delivered Lumens: 1,578

WS-40738 : Size: 38" Watt: 29W

LED Lumens: 2,672 Delivered Lumens: 2,384


Finish



CH:
Chrome

AL:
Brushed Aluminum

Example: **WS-40720-CH**



*Driver installs within a junction box

RONDELLE

5", 14" & 24" LED Sconce + Bath



WS-42524-AB shown

Inspired by collectible antique pole-top insulators, now illuminated as nostalgic lighting fixtures.



- Solid cast glass shades
 - Driver located in standard 4" junction box
- Color Temp: 3000K
CRI: 90
Dimming: 100% - 10% ELV
Rated Life: 60,000 hours
Input: 120V

WS-42505 : Lights: 1 Watt: 9W
LED Lumens: 230 Delivered Lumens: 220

WS-42514 : Lights: 2 Watt: 16W
LED Lumens: 518 Delivered Lumens: 490


WS-42524 : Lights: 3 Watt: 25W
LED Lumens: 865 Delivered Lumens: 805

Finish

AB:
Aged Brass

PN:
Polished Nickel

Example: **WS-42505-AB**




*Driver installs within a junction box





LED Sconce

Focused on timeless silhouettes, scaled-up metalwork and enduring finishes, these luminaires feature a tightly engineered fit and finish to coordinate seamlessly with upscale hardware and fixtures. Baths are ideal places to demonstrate illumination performance from proprietary LED technology where color quality and brightness requirements are the greatest. dweLED sconces and bath designs are trained on clean looks with ample illumination in color temperatures best suited for the intended space.





WS-26014-PN *shown*



HOLLYWOOD

14" LED Sconce



WS-26014-BN shown



WS-26014-AB shown

Opal glass sphere held aloft on a ledge. A mid-century inspired contrast of forms.



- Driver conceals within the canopy
- JA8 Title 24 2019 compliant

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V,
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

WS-26014 : Size: 14" Watt: 8W

LED Lumens: 410 Delivered Lumens: 348


Finish

BN:
Brushed Nickel

AB:
Aged Brass

PN:
Polished Nickel

Example: **WS-26014-PN**



WS-26014



WS-30018-BN *shown*

LOCKE

18" LED Sconce + Bath




WS-30018-AB shown



WS-30018-BN shown

Timeless yet contemporary. Frosted opal glass shades embraced by elegantly tailored hardware.



- Unique, faceted diamond backplate
- Up and downlight illumination
- JA8 Title 24 2019 compliant
- Can be mounted vertically or horizontally
- ACLED driverless technology

Color Temp: 3000K
CRI: 90
Dimming: 100% - 10% ELV
Rated Life: 50,000 hours
Input: 120V

WS-30018 : Size: 18" Watt: 21W
LED Lumens: 1,580 Delivered Lumens: 1,270

Finish



AB:
Aged Brass



BN:
Brushed Nickel

Example: **WS-30018-BN**



WS-22018-AB shown

POSH

18" LED Sconce




WS-22018-AB shown

Timeless elegance in a designer sconce.



Cool crystals and
LED technology



WS-22018



- Extruded optic lightguide tubes
- JA8 Title 24 2019 compliant
- LED strip concealed within for back light
- Driver conceals within the canopy

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V

Rated Life: 50,000 hours

Input: 120V-277V

WS-22018 : Size: 18" Watt: 12W

LED Lumens: 544 Delivered Lumens: 504

Finish



AB:
Aged Brass

Example: **WS-22018-AB**



WS-23018-BN *shown*



EAMES

18" LED Sconce




WS-23018-BN shown



WS-23018-AB shown

Modern classic with just the faintest suggestion of early-electric and candlelight.



WS-23018



- Double glass shade with opal glass inside
- Flexible cloth power cable
- Driver conceals within the canopy
- JA8 Title 24 2019 compliant

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V,
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

WS-23018 : Size: 18" Watt: 8W

LED Lumens: 357 Delivered Lumens: 250

Finish



AB:
Aged Brass



BN:
Brushed Nickel

Example: **WS-23018-AB**




WS-24016-CH *shown*

CLARE

16" LED Sconce




WS-24016-AB shown



WS-24016-BN shown

Simple and refined. A chic aesthetic in opal glass and polished metal to enhance contemporary and transitional spaces.



- ACLED driverless technology
- JA8 Title 24 2019 compliant

Color Temp: 3000K
 CRI: 90
 Dimming: 100% - 10% ELV
 Rated Life: 50,000 hours
 Input: 120V

WS-24016 : Size: 16" Watt: 11W
 LED Lumens: 832 Delivered Lumens: 743

Finish

AB:
 Aged Brass

BN:
 Brushed Nickel

CH:
 Chrome

Example: **WS-24016-AB**



WS-27010-BN *shown*

MYLIE

10" LED Sconce



WS-27010-AB shown

An updated classic. Crescent styled element with up and down light perfect for over a vanity, a console or bedside.



- ACLED driverless technology
- JA8 Title 24 2019 compliant
- Downlight for close to wall illumination

Color Temp: 3000K
 CRI: 90
 Dimming: 100% - 10% ELV
 Rated Life: 54,000 hours
 Input: 120V

WS-27010 : Size: 10" Watt: 19W
 LED Lumens: 1,240 Delivered Lumens: 843

Finish




AB:
 Aged Brass



BN:
 Brushed Nickel

Example: **WS-27010-AB**





WS-25014-PN shown

DRAKE

14" LED Sconce




WS-25014-AB shown



WS-25014-BN shown

A simple statement. Beautiful illumination through opal glass atop a polished metal base.



WS-25014



- JA8 Title 24 2019 compliant
- AC LED driverless technology

Color Temp: 3000K
 CRI: 90
 Dimming: 100% - 10% ELV
 Rated Life: 50,000 hours
 Input: 120V

WS-25014 : Size: 14" Watt: 16W
 LED Lumens: 1,407 Delivered Lumens: 1,007

Finish

BN:
 Brushed Nickel

AB:
 Aged Brass

PN:
 Polished Nickel

Example: **WS-25014-AB**

JENNA

17" LED Sconce



WS-28017-AB shown



WS-28017-BN shown

Vintage forms with modern sensibility.



TITLE 24
CALIFORNIA

- Fabric shade comes in round design
- JA8 Title 24 2019 compliant
- Driver conceals within the canopy

Color Temp: 3000K
CRI: 90
Dimming: 100% - 10% ELV, 100% - 5% 0-10V,
100%-5% TRIAC
Rated Life: 50,000 hours
Input: 120V-277V

WS-28017 : Size: 17" Watt: 14W
LED Lumens: 1,700 Delivered Lumens: 748


Finish



AB:
Aged Brass

BN:
Brushed Nickel

Example: **WS-28017-AB**



WS-28017

SEVILLE

21" LED Sconce




WS-28021-AB shown



WS-28021-BN shown

Bridging traditional with a clean modern appeal.



- Fabric shade comes in square design
- JA8 Title 24 2019 compliant
- Driver conceals within the canopy

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V,
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

WS-28021 : Size: 21" Watt: 15W

LED Lumens: 1,800 Delivered Lumens: 828

Finish



AB:
Aged Brass



BN:
Brushed Nickel

Example: **WS-28021-AB**

LUNE

10" LED Sconce



WS-15010-AL shown

*Adjusts to enhance upward or downward indirect illumination.
Pairs well with complementing adjustable pendants.*



- Rectangular shape
- Driver located in standard 2" X 4" junction box


Color Temp: 3000K
CRI: 90
Dimming: 100% - 10% ELV
Rated Life: 50,000 hours
Input: 120V-277V

WS-15010 : Size: 10" Watt: 10W
LED Lumens: 532 Delivered Lumens: 512

Finish

BK: Black
Example: **WS-15010-BK**

AL: Brushed Aluminum



WS-15010

* Driver installs within a junction box

MAVEN

14" LED Sconce



WS-21014-BN shown

Classic yet contemporary. An elegant design offering diffused illumination.



- Downlight for close to wall illumination
- ACLED driverless technology
- JA8 Title 24 2019 compliant

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV

Rated Life: 60,000 hours

Input: 120V

WS-21014 : Size: 14" Watt: 23W

LED Lumens: 1,800 Delivered Lumens: 940


Finish



BN:


Brushed Nickel

Example: **WS-21014-BN**



WS-21014





LED Bedside + Swing Arm

Fine art, photographs and wall décor are best displayed and preserved as showcased in a gallery. Unlike conventional luminaires, these LED picture lights provide full spectrum illumination without damaging infrared and ultraviolet rays. Discerning collectors choose LED display and picture lights powered by WAC technology, the time-tested authority in color quality and performance LED lighting since 2006.





BL-49018-BK *shown*

EERO

18" LED Bedside Lamp


BL-49018-AB shown

BL-49018-BN shown

A rotating light and laterally adjusting arm for targeted and powerful task lighting.



Rotatable Arm and Fixture



BL-49018



- Install on both bed sides
- Rotatable arm and fixture
- On-off switch on fixture
- Finger touch dimming
- Driver conceals within the canopy

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% (Integral dimmer)

Rated Life: 50,000 hours

Input: 100V-240V

BL-49018 : Size: 18" Watt: 9W

LED Lumens: 200 Delivered Lumens: 111

Finish

AB:
Aged Brass

BK:
Black

BN:
Brushed Nickel

Example: **BL-49018-BN**



BL-48007-BK/AB shown

ARNE

7" LED Bedside Lamp




BL-48007-BK/AB shown



BL-48007-BK/BN shown

Inspired mid-century modern design. An adjustable and touch-dimming reading light.



- Light can be articulated
- Convenient on/off switch
- Fingertip touch dimming
- Driver conceals within the canopy
- Rotates 180 degrees

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% (Integral dimmer)

Rated Life: 50,000 hours

Input: 100V-240V

BL-48007 : Size: 7" Watt: .9W

LED Lumens: 416 Delivered Lumens: 168

Finish

BK/AB:

Black / Aged Brass

BK/BN:

Black / Brushed Nickel

Example: **BL-48007-BK/AB**



BL-83023-BK *shown*

CHELSEA

23" LED Bedside Lamp



BL-83023-BN shown



BL-83023-AB shown

A classic table lamp style transformed into a sconce with an adjustable arm for bedrooms or offices.



- Fabric shade
- JA8 Title 24 2019 compliant
- Articulated arm frictions into place
- Convenient on/off switch
- Fingertip touch dimming
- Driver conceals within the canopy

Color Temp: 3000K
 CRI: 90
 Dimming: 100% - 10% (Integral dimmer)
 Rated Life: 50,000 hours
 Input: 120V

BL-83023 : Size: 23" Watt: 8W
 LED Lumens: 1,000 Delivered Lumens: 499


Finish

BN:
 Brushed Nickel

AB:
 Aged Brass

BK:
 Black

Example: **BL-83023-BN**



BL-83023



PL-11025-BN *shown*



REED

17", 25" & 33" LED Picture Light

PL-11017-BK shown

PL-11025-BN shown

PL-11033-BK shown

*The perfect complement to any display piece.
Conserves fine art while providing superior color rendering.*



- Light source can be articulated
- Simple, elegant slim profile design
- Driver conceals within the canopy
- Conversion plate for 4" J box included.

Color Temp: 3000K
CRI: 90
Dimming: 100% - 10% ELV, 100% - 5% 0-10V, 100%-5% TRIAC
Rated Life: 50,000 hours
Input: 120V-277V

PL-11017 : Size: 17" Watt: 14W
LED Lumens: 569 Delivered Lumens: 380

PL-11025 : Size: 25" Watt: 17W
LED Lumens: 825 Delivered Lumens: 544




PL-11033 : Size: 33" Watt: 25W
LED Lumens: 1,072 Delivered Lumens: 747

Finish

BN:
Brushed Nickel

BK:
Black

Example: **PL-11025-BN**





UPTOWN

17", 25" & 34" LED Picture Light



PL-52017-BN shown



PL-52025-BK shown



PL-52034-BN shown

Robust LED illumination.

Preserve colors in artwork while delivering superior color rendering.



- Light source can be articulated
- Slim profile, contemporary design
- Driver conceals within the canopy
- JA8 Title 24 2019 compliant
- Conversion plate for 4" J box included

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V,
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

PL-52017 : Size: 17" Watt: 13W

LED Lumens: 1,048 Delivered Lumens: 883

PL-52025 : Size: 25" Watt: 16W

LED Lumens: 1,326 Delivered Lumens: 926

PL-52034 : Size: 34" Watt: 25W

LED Lumens: 1,772 Delivered Lumens: 1,329

Finish




BN:
Brushed Nickel




AB:
Aged Brass


Example: **PL-52017-BN**



PL-52017



PL-52025



PL-52034



PL-47023-AB shown

PIANO

23" LED Picture Light



PL-47023-BN shown

Stylish with full flexibility. Three adjustment points to perfectly illuminate artwork.



TITLE 24
CALIFORNIA

- 3 points of articulation
- Continent on/off switch on fixture
- Finger touch dimming
- JA8 Title 24 2019 compliant
- Driver conceals within the canopy

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% (Integral dimmer)

Rated Life: 50,000 hours

Input: 100V-240V

PL-47023 : Size: 23" Watt: 8W


LED Lumens: 530 Delivered Lumens: 263

Finish

AB:
Aged Brass

BN:
Brushed Nickel

Example: **PL-47023-BN**



PL-47023



PL-50023-BN *shown*

KENT

11", 17" & 23" LED Picture Light



PL-50023-BK shown



PL-50023-AB shown

*Influential and substantial.
Showcase artwork or bookcases with stylish LED illumination.*



- Luminaire is 180 degrees rotatable
- AC LED driverless technology

Color Temp: 3000K
CRI: 90
Dimming: 100% - 10% ELV
Rated Life: 54,000 hours
Input: 120V

PL-50011 : Size: 11" Watt: 8W
LED Lumens: 600 Delivered Lumens: 287

PL-50017 : Size: 17" Watt: 12W
LED Lumens: 1,000 Delivered Lumens: 479

PL-50023 : Size: 23" Watt: 18W
LED Lumens: 1,400 Delivered Lumens: 792

Finish

BN:
Brushed Nickel

AB:
Aged Brass

BK:
Black
Example: **PL-50023-BN**



PL-50011



PL-50017



PL-50023





LED Ceiling Mounts

dweLED Ceiling Mount luminaires are designed to integrate within a variety of spaces ranging from residential and multifamily to commercial and healthcare. These well-engineered luminaires are cleanly finished with no visible hardware, offering a glare-free superbly low-profile quality that is defining of good LED luminaire design.





FM-45012-AB shown

YORK

8" & 12" LED Ceiling Mount





FM-45012-BN shown





FM-45008-AB shown

A timeless aesthetic. Lustrous aged brass or antiqued nickel and generous illumination for hallways and entryways.



FM-45012



FM-45008



- AC LED driverless technology
- JA8 Title 24 2019 compliant
- Mount as a ceiling fixture or wall sconce.

Color Temp: 3000K
 CRI: 90
 Dimming: 100% - 10% ELV
 Rated Life: 50,000 hours
 Input: 120V

FM-45008 : Size: 8" Watt: 15W
 LED Lumens: 873 Delivered Lumens: 449

FM-45012 : Size: 12" Watt: 27W
 LED Lumens: 1,845 Delivered Lumens: 1,071

Finish



AB:
 Aged Brass



BN:
 Brushed Nickel

Example: **FM-45008-BN**



FM-46010-BN shown

WRIGHT

10" & 14" LED Ceiling Mount




FM-46014-BN shown



FM-46010-AB shown

*Modern industrial or contemporary nautical.
Substantial hardware in beautiful designer finishes and ample LED illumination.*



- JA8 Title 24 2019 compliant
- ACLED driverless technology

Color Temp: 3000K
CRI: 90
Dimming: 100% - 10% ELV
Rated Life: 50,000 hours
Input: 120V

FM-46010 : Size: 10" Watt: 15W
LED Lumens: 1,400 Delivered Lumens: 667

FM-46014 : Size: 14" Watt: 30W
LED Lumens: 2,800 Delivered Lumens: 1,522

Finish



AB:
Aged Brass



BN:
Brushed Nickel

Example: **FM-46010-BN**



FM-21728-BK shown

ELEKTRON

20" & 28" LED Ceiling Mount



FM-21720-AL shown

Travelling at the speed of light.



- Uniquely versatile fixture capable of transforming from pendant to ceiling mount
- Edge lit acrylic diffuser to add an even ring of light to any space
- JA8 Title 24 2019 compliant
- Three 12" and one 6" downrods included (additional downrods available)
- 2.76" x 1.26" x 1.18" universal voltage driver (120V-220V-277V) installs within a junction box

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV

Rated Life: 36,000 hours

Input: 120V-277V

FM-21720 : Size: 20" Watt: 20W

LED Lumens: 1,680 Delivered Lumens: 1,315

FM-21728 : Size: 28" Watt: 30W

LED Lumens: 2,525 Delivered Lumens: 1,723

Finish


BK:

Black

Example: **FM-21720-BK**

AL:

Brushed Aluminum





FM-W52312-WT *shown*

NIVEOUS

6", 9" & 12" LED Ceiling Mount

*Like the perfect snowball,
unique yet wholly recognizable.*



- Spheres of pure light
- Mouth blown etched opal glass diffuser provides even illumination
- Solid aluminum construction
- JA8 Title 24 2019 compliant
- Mount as a ceiling fixture or wall sconce
- No transformer or driver required except 277V option (special order).
- 2700K / 3500K for 6" and 9" options only (special order)

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV

Rated Life: 50,000 hours

Input: 120V (277V special order)

FM-W52306 : Size: 6" Watt: 10W

LED Lumens: 800 Delivered Lumens: 680

FM-W52309 : Size: 9" Watt: 18W

LED Lumens: 1,600 Delivered Lumens: 1,428

FM-W52312 : Size: 12" Watt: 24W

LED Lumens: 2,229 Delivered Lumens: 1,900

Finish

WT:


White

Example: **FM-52312-WT**


For 277V, add an "F" before the finish : **FM-W52312F-WT**

For 2700K add "-27", 3500K add "-35" before the finish:


FM-W52306-35-WT




FM-W52306



FM-W52309



FM-W52312






LED Outdoor

dweLED outdoor wall sconces add light and style to building exteriors, often serving more than one function. The right outdoor selection is both functional and decorative in providing comfortable nighttime illumination while also adding visual interest to the building envelope. Designed for ambient lighting and architectural complement, dweLED outdoor luminaires are equipped with specifically engineered, energy efficient LEDs to accent architectural surfaces for dramatic visual intrigue while delivering safety illumination of pathways and entrances. Clean designs maintain a timeless architectural aesthetic that reflects the dweLED brand while thoughtful engineering and quality construction delivers lasting robust performance..





WS-W43011-BK/AB shown

Modern farmhouse industrial. A beckoning invitation.

SLEEPLESS

11" & 15" LED Outdoor Sconce



WS-W43015-BK/AB shown



WS-W43011-BK/AB shown



WS-W43015-BK/AB shown



- Lightly hammered, seeded glass
- Driver concealed within fixture

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV, 100% - 5% 0-10V,
100%-5% TRIAC

Rated Life: 50,000 hours

Input: 120V-277V

WS-W43011 : Size: 11" Watt: 13W

LED Lumens: 700 Delivered Lumens: 385

WS-W43015 : Size: 15" Watt: 18W

LED Lumens: 950 Delivered Lumens: 574


Finish




BK/AB:

Black / Aged Brass

Example: **WS-W43015-BK/AB**



WS-W43011



WS-W43015



WS-W42016-BK/GO shown

NIGHTVISION

16" & 20" LED Outdoor Sconce



WS-W42020-BK/GO shown



WS-W42016-BK/GO shown

Distinctive sophistication for the great outdoors. A hint of the warmth inside.



- Gold accent provides warm illumination
- Up and downlight illumination
- ACLED driverless technology

Color Temp: 3000K
 CRI: 90
 Dimming: 100% - 10% ELV
 Rated Life: 54,000 hours
 Input: 120V

WS-W42016 : Size: 16" Watt: 11W
 LED Lumens: 926 Delivered Lumens: 113


WS-W42020 : Size: 20" Watt: 16W
 LED Lumens: 1,351 Delivered Lumens: 169


Finish



BK/GO:
 Black/Gold

Example: **WS-W42016-BK/GO**





WS-W39018-BK/AB *shown*

HATHAWAY

12" & 18" LED Outdoor Sconce



WS-W39012-BK/AB shown



WS-W39018-BK/AB shown

Gracious entry. Clean lines and burnished metal.



- Back lit away from painted AB/BK panel to create indirect illumination
- Driver concealed within fixture

Color Temp: 3000K
 CRI: 90
 Dimming: 100% - 10% ELV, 100% - 5% 0-10V, 100%-5% TRIAC
 Rated Life: 50,000 hours
 Input: 120V


WS-W39012 : Size: 12" Watt: 19W
 LED Lumens: 796 Delivered Lumens: 48

WS-W39018 : Size: 18" Watt: 25W
 LED Lumens: 1,292 Delivered Lumens: 60

Finish

BK/AB:
 Black / Aged Brass

Example: **WS-W39018-BK/AB**





WS-W41012-BK *shown*


NORD

12" & 18" LED Outdoor Sconce





WS-W41018-BK shown


Icy intrigue. Dimensional glass gives interesting patterns when illuminated.



WS-W41012



WS-W41018



- Hammered glass diffuser
- AC LED driverless technology
- JA8 Title 24 2019 compliant

Color Temp: 3000K

CRI: 90

Dimming: 100% - 10% ELV

Rated Life: 54,000 hours

Input: 120V

WS-W41012 : Size: 12" Watt: 15W

LED Lumens: 680 Delivered Lumens: 599

WS-W41018 : Size: 18" Watt: 30W

LED Lumens: 2,264 Delivered Lumens: 1,433

Finish



BK:
Black

Example: **WS-W41012-BK**



WS-W44014-BK shown

AXEL

11" & 14" LED Outdoor Sconce



WS-W44014-BK shown



WS-W44011-BK shown

Clean and tight. A fixture that can be installed in any direction.



- Silk screen mitered tempered glass diffuser
- Special frame design to secure glass diffuser
- Weather resistant coating
- ACLED driverless technology
- JA8 Title 24 2019 compliant

Color Temp: 3000K
CRI: 90
Dimming: 100% - 10% ELV
Rated Life: 50,000 hours
Input: 120V


WS-W44011 : Size: 11" Watt: 20W
LED Lumens: 1,410 Delivered Lumens: 629
WS-W44014 : Size: 14" Watt: 30W
LED Lumens: 2,137 Delivered Lumens: 813

Finish

BK:


Black

Example: **WS-W44014-BK**





WS-W13918-BK *shown*



ARCHETYPE

18" & 24" LED Outdoor Sconce



WS-W13918-BK shown



WS-W15918-BK shown




PM-W15928-BK shown



PD-W15918-BK shown

Stately Modern.



WS-W13918

WS-W13924



- Aluminum hardware
- JA8 Title 24 2019 compliant
- No transformer or driver required

Color Temp: 3000K
CRI: 90
Dimming: 100% - 10% ELV
Rated Life: 60,000 hours
Input: 120V

WS-W13918: Size: 18" Watt: 16W
LED Lumens: 1,200 Delivered Lumens: 427
WS-W13924: Size: 24" Watt: 22W
LED Lumens: 1,600 Delivered Lumens: 760

Finish

BK:

Black

Example: **WS-W13918-BK**

ALPHABETICAL INDEX

A

ARCHETYPE.....106-107
ARNE.....72-73
ATLAS.....4-5
AXEL.....104-105

B

BISTRO.....20-21

C

CHELSEA.....74-75
CHIC.....28-29
CLARE.....58-59

D

DARCY.....36-37
DRAKE.....62-63

E

EAMES.....56-57
EERO.....70-71
ELEKTRON.....90-91
ETERNAL.....8-9

H

HATHAWAY.....100-101
HIGHWIRE.....6-7
HOLLYWOOD.....50-51

J

JENNA.....64
JULIET.....42-43

K

KENT.....82-83
KONE.....24-25

L

LOCKE.....52-53
LUNE.....12-17
LUNE.....66

M

MADISON.....22-23
MAVEN.....67
MELROSE.....40-41
MERCER.....44-45
MINECRAFT.....10-11

MIRROR MIRROR.....38-39
MYLIE.....60-61

N

NAPA.....30-31
NIGHTVISION.....98-99
NIVEOUS.....92-93
NORD.....102-103

O

OHM.....26-27

P

PIANO.....80-81
POSH.....54-55

R

REED.....76-77
REPOSE.....34-35
RONDELLE.....47

S

SEVILLE.....65
SLEEPLESS.....96-97

U

UPTOWN.....78-79

V

VISTA.....46
VOLO.....18-19

W

WRIGHT.....88-89

Y

YORK.....86-87

NUMERICAL INDEX

B

BL-49018.....70-71
BL-48007.....72-73
BL-83023.....74-75

F

FM-45008.....86-87
FM-45012.....86-87
FM-46010.....88-89
FM-46014.....88-89
FM-21720.....90-91
FM-21728.....90-91
FM-W52306.....92-93
FM-W52309.....92-93
FM-W52312.....92-93

P

PD-51030.....4-5
PD-51041.....4-5
PD-51050.....4-5
PD-19043.....6-7
PD-19050.....6-7
PD-18041.....8-9
PD-17023.....10-11
PD-14032.....12-13
PD-16063.....14-15
PD-15052.....16-17
PD-22744.....18-19
PD-22754.....18-19
PD-22775.....18-19
PD-20010.....20-21
PD-20014.....20-21
PD-20004.....20-21
PD-96948.....22-23
PD-72006.....24-25
PD-13006.....26-27
PD-12006.....28-29
PD-12015.....28-29
PD-42909.....30-31
PD-42912.....30-31
PD-42918.....30-31
PL-11017.....76-77
PL-11025.....76-77
PL-11033.....76-77
PL-52017.....78-79
PL-52025.....78-79
PL-52034.....78-79
PL-47023.....80-81
PL-50011.....82-83
PL-50017.....82-83
PL-50023.....82-83

W

WS-34027.....34-35
WS-34037.....34-35
WS-38024.....36-37
WS-38036.....36-37
WS-32018.....38-39
WS-32027.....38-39
WS-32037.....38-39
WS-36022.....40-41
WS-36032.....40-41
WS-35020.....42-43
WS-35027.....42-43
WS-37024.....44-45
WS-37034.....44-45
WS-40720.....46
WS-40726.....46
WS-40738.....46
WS-42505.....47
WS-42514.....47
WS-42524.....47
WS-26014.....50-51
WS-30018.....52-53
WS-22018.....54-55
WS-23018.....56-57
WS-24016.....58-59
WS-27010.....60-61
WS-25014.....62-63
WS-28017.....64
WS-28021.....65
WS-15010.....66
WS-21014.....67
WS-W43011.....96-97
WS-W43015.....96-97
WS-W42016.....98-99
WS-W42020.....98-99
WS-W39012.....100-101
WS-W39018.....100-101
WS-W41012.....102-103
WS-W41018.....102-103
WS-W44011.....104-105
WS-W44014.....104-105
WS-W13918.....106-107
WS-W13924.....106-107

Headquarters

Tel: 800.526.2588

Fax: 800.526.2585

West Coast Factory

1750 Archibald Ave

Ontario, CA 91761

East Coast Factory

44 Harbor Park Dr

Port Washington, NY 11050

Central Factory

1600 Distribution Ct

Lithia Springs, GA 30122

Consult the factory to take advantage of our custom capabilities in large quantities. For
up to date product specifications and assistance
please visit **waclighting.com** or call
1-800-526-2588

Copyright © 2020 by WAC Lighting.
All rights reserved. This catalog is copyrighted and WAC Lighting will use all measures available
to it under the law against anyone who copies or derives from its copyrighted work.

Copyright © 2020 by WAC Lighting.
All rights reserved. This catalog is
copyrighted and WAC Lighting will use
all measures available to it under the law
against anyone who copies or derives
from its copyrighted work.

dweLED

