

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Reflection Bathroom Sconce 3500K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-59623 23"	3500K 90	30.5W	1535	1370	AL Brushed Aluminum

Example: **WS-59623-AL**

### DESCRIPTION

LEDs illuminate the wall in a reflective manner surrounding the sconce while minimizing glare from all directions. An exceptional option for illuminating vanities, corridors, or stairwells where it may be challenging to find an ADA Compliant sconce that looks attractive from multiple viewing angles.

### FEATURES

- Edge-lit magic
- Ultra low profile design
- WS-59639 features ELV
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

### SPECIFICATIONS

Color Temp:	3500K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 5%
Rated Life:	46000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL Damp Location Listed
Construction:	Aluminum with acrylic diffuser




### FINISHES



Brushed  
Aluminum

### LINE DRAWING



Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Reflection

### Bathroom Sconce 3500K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-59629 29"	3500K 90	38W	1920	1750	AL Brushed Aluminum

Example: **WS-59629-AL**

#### DESCRIPTION

LEDs illuminate the wall in a reflective manner surrounding the sconce while minimizing glare from all directions. An exceptional option for illuminating vanities, corridors, or stairwells where it may be challenging to find an ADA Compliant sconce that looks attractive from multiple viewing angles.

#### FEATURES

- Edge-lit magic
- Ultra low profile design
- WS-59639 features ELV
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

#### SPECIFICATIONS

Color Temp:	3500K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 5%
Rated Life:	46000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL Damp Location Listed
Construction:	Aluminum with acrylic diffuser




#### FINISHES



Brushed Aluminum

#### LINE DRAWING



Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Reflection

### Bathroom Sconce 3500K

Model & Size	Color Temp & CRI	Watt	LED Lumens	Delivered Lumens	Finish
WS-59639 39"	3500K 90	51.5W	2535	2410	AL Brushed Aluminum

Example: **WS-59639-AL**

#### DESCRIPTION

LEDs illuminate the wall in a reflective manner surrounding the sconce while minimizing glare from all directions. An exceptional option for illuminating vanities, corridors, or stairwells where it may be challenging to find an ADA Compliant sconce that looks attractive from multiple viewing angles.

#### FEATURES

- Edge-lit magic
- Ultra low profile design
- WS-59639 features ELV
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

#### SPECIFICATIONS

Color Temp:	3500K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 5%
Rated Life:	46000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL
	Damp Location Listed
Construction:	Aluminum with acrylic diffuser



#### FINISHES



Brushed Aluminum

#### LINE DRAWING

