
SCHONBEK®


PETITE CRYSTAL 1564- ___ A




THIS DESIGN IS THE PROPRIETARY TRADEDRESS/TRADEMARKOF SWAROVSKI LIGHTING, LTD.


5 Lights
Diameter: 14"
Body Length: 7-1/2"
Hanging Weight: 5 lbs.






All electrical components must be installed by a licensed electrician in accordance with the National Electric Code and the appropriate local electrical codes.






1 Remove crossbar from light cluster and reflector. Attach to outlet box in ceiling.




2 Place gallery ring over chrome reflector, with bent tabs facing up, and light cluster. Connect fixture ground wire to grounding screw in outlet box and complete connections of fixture conductors to main power leads. Fixture MUST be grounded.


3 Slide assembled parts - gallery ring together with chrome reflector (insulation pad above) and light cluster over thread attached to crossbar and secure with knurled nut. Make sure entire assembly is firmly against the ceiling. If the outlet box is not flush with ceiling, it may be necessary to adjust the thread attached to crossbar. Install bulbs and test power to insure proper wiring before hanging trim from fixture.



1564-__ _A PAGE 2



1564-___ __A



You will need 5 - G16-1/2 25 Watts Recommended 40 Watts Max MIN 90°C SUPPLY CONDUCTORS

Install bulbs and be sure to test fixture BEFORE trimming.

